

## Northern California Regional Liability Excess Fund JPA

#### SAMPLE SAFETY INSPECTION CHECKLIST

This checklist is intended only as a guide. Customized checklists should be developed for each site and specific location. Look for other unsafe conditions and report them so corrective action can be taken. S= Satisfactory and U= Unsatisfactory

PLA	YGROUND EQUIPMENT (Suggested Minimum Frequency - Weekly)	S	$\mathbf{U}$
1.	Swing sets securely anchored		
2.	Swing set seats, chains & hooks in safe condition		
3.	Backstops securely anchored		
4.	Backstop fencing in safe condition		
5.	Slide ladder secure		
6.	Slides free of cracks and sharp edges		
7.	Slides securely anchored		
8.	Climbing apparatus securely anchored		
9.	Climbing apparatus free of sharp edges		
10.	Cushioning material under all equipment		
	ILETIC FACILITY (Suggested Minimum Frequency - Weekly)	S	U
11.	Weights and equipment properly racked and stored		
12.	Cables on apparatus securely attached and in good condition		
13.	Gymnastics equipment in good condition		
14.	Basketball hoops free of sharp edges		
CRO	UNDS & FIELDS (Suggested Minimum Frequency - Weekly)	C	<b>T</b> T
15.	Blacktop & sidewalks free of holes or cracks	S	U
16.	No dirt or water flowing on sidewalk		
17.	Area free of debris and broken glass	-	
18.	Shrubs and trees no branches hanging over walkways		
19.	Fencing free of sharp corners and edges		
20.	Field is level, free of holes and foreign objects		
21.			
41.	Sprinklers in proper repair and not protruding		
ADJACENT PROPERTIES (Suggested Minimum Frequency - Weekly)		S	U
22.	Adjacent vegetation not a fire or intruder concealment hazard		
23.	Adjacent water channels free of debris that could block drainage		
24.	Animals in adjacent property adequately contained and controlled		



### Northern California Regional Liability Excess Fund JPA

### SAMPLE SAFETY INSPECTION CHECKLIST (continued)

AUDITORIUM & GYMNASIUM (Suggested Minimum Frequency - Weekly)						
25.	Stairs, ramps, floors and aisles are kept clean and dry					
26.	Floors free of tripping hazards					
27.	Seats free of splinters, torn upholstery, or loose hardware					
28.	Bleacher seats and steps tight and in good condition					
29.	Stage rigging, ropes, blocks and tackles are in good repair					
30.	Stairs are equipped with treads and handrails					
INDI	S	U				
31.	All materials safely racked or stored					
32.	Floors clean, and free from tripping/slipping hazards					
33.	Extension cords and cables secured					
34.	Oily rags kept in closed metal containers					
35.	Guards provided on machinery					
36.	Ladders maintained in good condition					
37.	Grinding wheels have guards/shields; tool rests adjusted					
SWIMMING POOL (Suggested Minimum Frequency - Weekly)			U			
38.	Pool ladders anchored and free of rust and corrosion					
39.	Diving board platforms free of signs of excessive wear					
40.	Diving board platforms covered with non-skid material					
41.	All surfaces free of cracks and foreign matter					
MISCELLANEOUS (Suggested Minimum Frequency - Weekly)			No			
42.	Have fire extinguishers been properly maintained/charged?					
43.	Are First Aid kits properly stocked?					
44.	Are hallway exits properly marked?					
45.	Is access to electrical, gas & water shut off unobstructed?					
46.	Are electrical, gas & water shut off valve locations posted?					
COMMENTS (Describe unsafe conditions not listed above)						



# Northern California Regional Liability Excess Fund JPA

,		
		-
	Yes	NI
		No
Have work orders been issued for correction of "Uns	satisfactory" conditions?	
Provide work order number(s):		
1 TOVIGE WOLK OLGEL HUMBER(S):		
7		
Inspected by	Date	